







Technical requirements		
Execution class:	EXC2	EN 1090-2
Tolerance class:	2	EN 1090-2
Welding class:	C	EN ISO 5817
Thermal cutting class:	442	EN ISO 9013
Preparation grade:	P2	EN ISO 8501-3
Surface treatment:	Sa2.5	EN ISO 8501-1
Corrosion class:	C1H EPPUR120/2	
Colour:	RAL9016	

SPECIFICATION							
Part pos.	Qty.	Profile	Length, mm	Weight, kg	Weight total, kg	Steel	Note
1054	1	PL15*147	310	4.5	4.5	S355+Z15	
Nk-04	1	FLAT40*80	475	11.2	11.2	S355J2	
WELDS				1%	0.2		
TOTAL					15.9		
Object:						556.0S-NK-103	
Customer:						15.9 kg	
Drawn					OVERCOLUMN		
Designed							
Checked							
Approved							
						Stage	MKD
						Page	Pages
						1	1

Qty.	In assembly
1	NK-103



Material:		FLAT40*80 Length = 475	Steel: S355J2	Total: 1
Object:		556.OS-Nk-04		
Customer:		11.2 kg		
Drawn		ROD		
Designed				
Checked				
Approved				
		Stage	MKD	
		Page	Pages	
		1	1	